





Nystagnica se Sill. Journ 2.14. p. 321. (18:53. by A. Gray Tomey in BoL. Bound p. 168. Jany :6.5. p 172













spira densissima, Akadobi villosa, bourleis orbivulati, ruspidati luvoibus, aprice nigoricantibus, 2 bruclais lateralibus ostivulatios obliga brevibus inlyce volloss unterlato laciniis oblongo lineariber, of thesis lacvibus, Aubostanitee inclused tubulosa lobis ovatis oblusis rum ruljais Cariciis allementiber, staminibers ad facerem vorollne sess. liber a lobis valgeri segment Canbons: ovario I ovaleto ovalo e feminalo libero e femilo stato receto pendo stato indicario vecto pendo. cristate - aculento, utribulium, conolla marrespente Seite insludente; semine subrenifin, ambryone annulan albumen fannaceur vingense. m Me Ale man A A seed hilfgrown Rochichia gmilles July 1848 This species of Ophothera is Distingarished for the other for eastern Texas (O. floridana) by the smaller flowing smoother from redshite mentore ) steen, yellow not red author, ment less woolly but more enstate smiller fruit.

The of Corlea" is slavinal Tibe Gos" of Corolla "are

Transmadia inter anthum illigerta gomphrera gestina 3 Gruets, 2 lateral ours largest, coloured, inavioular anthor tube stobed loves amonginate or bift bearing the radice superior - seed pardling from Gasilan fundally

0 1 2 3 4 5 6 7 8 9 10


Copyright reserved

MISSOURI

BOTANICAL

GARDEN

MISSOURI BOTANICH GARDEN GEORGE ENGELMANN PAPERS



Amananthens Common about Corigerinach: gull for mexican deeds ly 11 Aidie 81 Louis Aug 1818 floribus nuovascis 5 puestibus bracteis lanceolatis anistatis

pepulis ovato lanceolatis ouspidatis, florum masculorum
infe.m. ouspidatis, florum masculorum majorsbus boarteas lønge supermet bus. A. forminersum kninomber brutear aequentibre, staminiber 5 sentis oppositis, authuris lineausbees basiondatis medis dosso affiris; stylis 3 e les; late subultis - pengomis exserts
frustifero acceto masculu subuguente; utricula accuminto. aprice triouspidate, ouspadber erecti, somme soisse, seminable, læviber leventibes, lentivelaniles folis amti, longe puliolatis oratis in putiol attenutti, glabriarrelij.

